

タイプ	部品番号	Ø		
		[mm]	[インチ]	[インチ]
PG 6-CF [mm]				
Ø 2.0 mm	1706.02002	2.0	0.0787	–
Ø 3.0 mm	1706.03002	3.0	0.1181	–

PG 6-CF [インチ]				
Ø 1/8"	1706.03183	3.175	0.125	1/8"

PG 10-CF [mm]				
Ø 2.0 mm	1710.02002	2.0	0.0787	–
Ø 2.5 mm	1710.02502	2.5	0.0984	–
Ø 3.0 mm	1710.03002	3.0	0.1181	–
Ø 4.0 mm	1710.04002	4.0	0.1575	–
Ø 5.0 mm	1710.05002	5.0	0.1969	–
Ø 6.0 mm	1710.06002	6.0	0.2362	–

PG 10-CF [インチ]				
Ø 1/8"	1710.03183	3.175	0.125	1/8"
Ø 3/16"	1710.04763	4.763	0.1875	3/16"
Ø 1/4"	1710.06353	6.35	0.25	1/4"

PG 15-CF [mm]				
Ø 3.0 mm	1715.03002	3.0	0.1181	–
Ø 4.0 mm	1715.04002	4.0	0.1575	–
Ø 5.0 mm	1715.05002	5.0	0.1969	–
Ø 6.0 mm	1715.06002	6.0	0.2362	–
Ø 7.0 mm	1715.07002	7.0	0.2756	–
Ø 8.0 mm	1715.08002	8.0	0.315	–
Ø 9.0 mm	1715.09002	9.0	0.3543	–
Ø 10.0 mm	1715.10002	10.0	0.3937	–

PG 15-CF [インチ]				
Ø 1/8"	1715.03183	3.175	0.125	1/8"
Ø 3/16"	1715.04763	4.763	0.1875	3/16"
Ø 1/4"	1715.06353	6.35	0.25	1/4"
Ø 5/16"	1715.07943	7.938	0.3125	5/16"
Ø 3/8"	1715.09523	9.525	0.375	3/8"

クーラントフラッシュコレット PG-CF

PG-CF

powRgrip®

タイプ	部品番号	Ø		
		[mm]	[インチ]	[インチ]
PG 25-CF [インチ]				
Ø 3.0 mm	1725.03002	3.0	0.1181	-
Ø 4.0 mm	1725.04002	4.0	0.1575	-
Ø 5.0 mm	1725.05002	5.0	0.1969	-
Ø 6.0 mm	1725.06002	6.0	0.2362	-
Ø 7.0 mm	1725.07002	7.0	0.2756	-
Ø 8.0 mm	1725.08002	8.0	0.315	-
Ø 9.0 mm	1725.09002	9.0	0.3543	-
Ø 10.0 mm	1725.10002	10.0	0.3937	-
Ø 11.0 mm	1725.11002	11.0	0.4331	-
Ø 12.0 mm	1725.12002	12.0	0.4724	-
Ø 13.0 mm	1725.13002	13.0	0.5118	-
Ø 14.0 mm	1725.14002	14.0	0.5512	-
Ø 15.0 mm	1725.15002	15.0	0.5906	-
Ø 16.0 mm	1725.16002	16.0	0.63	-
Ø 18.0 mm	1725.18002	18.0	0.7087	-
Ø 20.0 mm	1725.20002	20.0	0.7874	-
PG 25-CF [インチ]				
Ø 1/8"	1725.03183	3.175	0.125	1/8"
Ø 3/16"	1725.04763	4.763	0.1875	3/16"
Ø 1/4"	1725.06353	6.35	0.25	1/4"
Ø 5/16"	1725.07943	7.938	0.3125	5/16"
Ø 3/8"	1725.09523	9.525	0.375	3/8"
Ø 7/16"	1725.11113	11.113	0.4375	7/16"
Ø 1/2"	1725.12703	12.7	0.5	1/2"
Ø 9/16"	1725.14293	14.288	0.5625	9/16"
Ø 5/8"	1725.15883	15.875	0.625	5/8"
Ø 3/4"	1725.19053	19.05	0.75	3/4"



タイプ	部品番号	Ø		
		[mm]	[インチ]	[インチ]
PG 32-CF [mm]				
Ø 6.0 mm	1732.06002	6.0	0.2362	–
Ø 7.0 mm	1732.07002	7.0	0.2756	–
Ø 8.0 mm	1732.08002	8.0	0.315	–
Ø 9.0 mm	1732.09002	9.0	0.3543	–
Ø 10.0 mm	1732.10002	10.0	0.3937	–
Ø 11.0 mm	1732.11002	11.0	0.4331	–
Ø 12.0 mm	1732.12002	12.0	0.4724	–
Ø 14.0 mm	1732.14002	14.0	0.5512	–
Ø 16.0 mm	1732.16002	16.0	0.63	–
Ø 18.0 mm	1732.18002	18.0	0.7087	–
Ø 20.0 mm	1732.20002	20.0	0.7874	–
Ø 22.0 mm	1732.22002	22.0	0.8661	–
Ø 25.0 mm	1732.25002	25.0	0.9843	–

PG 32-CF [インチ]				
Ø 1/4"	1732.06353	6.35	0.25	1/4"
Ø 5/16"	1732.07943	7.938	0.3125	5/16"
Ø 3/8"	1732.09523	9.525	0.375	3/8"
Ø 7/16"	1732.11113	11.113	0.4375	7/16"
Ø 1/2"	1732.12703	12.7	0.5	1/2"
Ø 9/16"	1732.14293	14.288	0.5625	9/16"
Ø 5/8"	1732.15883	15.875	0.625	5/8"
Ø 3/4"	1732.19053	19.05	0.75	3/4"
Ø 7/8"	1732.22233	22.225	0.875	7/8"
Ø 1"	1732.25403	25.4	1.0	1"



PG-CF